

FIG. 2




FIG. 3




FIG. 6




FIG. 5




FIG. 7




Fig. 1 shows a perspective view of a vehicle seat backrest assembly. The assembly consists of a main body 12 with a top edge 17 and a bottom edge 15. A headrest 16 is mounted at the top. A lower section 14 is shown in a folded position, revealing a hinge mechanism 18. The hinge mechanism includes a pivot point 14a and a locking pin 14c. The lower section 14 has a curved outer surface 13 and a textured inner surface 15. Dimensions S and C are indicated along the right side.




FIG. 9




Fig. 1 is a perspective view of a vehicle front end assembly. It shows a grille (12) with horizontal slats (17), a bumper (14) with a central opening (13) and a lower section (15), and a hood (16). A sensor or camera unit (18) is mounted on the grille, with a lens (18a) and a sensor element (18c). Dimensions S and C are indicated.




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24
PRIOR ART




FIG. 25
PRIOR ART




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30





FIG. 31
PRIOR ART



P R I O R A R T




FIG. 33

PRIOR ART




FIG. 34

PRIOR ART

